

U.S. Department of Transportation

IAEA CERTIFICATE OF COMPETENT AUTHORITY SPECIAL FORM RADIOACTIVE MATERIALS

Pipeline and Hazardous Materials Safety Administration CERTIFICATE USA/0716/S-96, REVISION 3

This certifies that the source described has been demonstrated to meet the regulatory requirements for special form radioactive material as prescribed in the regulations of the International Atomic Energy Agency 1 and the United States of America 2 for the transport of radioactive material.

- 1. <u>Source Identification</u> QSA Global, Inc. Model X1277 (Manufactured on or after February 16, 1994).
- 2. Source Description Cylindrical single encapsulation made of stainless steel and tungsten inert gas or laser seal welded. Approximate outer dimensions are 4.7 mm (0.19 in.) in diameter and 10.4 mm (0.41 in.) in length. Minimum wall thickness is 0.2 mm (0.008 in.). Construction shall be in accordance with attached AEA Technology QSA, Inc. Drawing No. RBA62783, Rev. A.
- 3. Radioactive Contents No more than 7.4 GBq (200.0 mCi) of Americium-241. The Am-241 is in the form of an oxide incorporated into a ceramic enamel.
- 4. Management System Activities Records of Management System activities required by Paragraph 306 of the IAEA regulations shall be maintained and made available to the authorized officials for at least three years after the last shipment authorized by this certificate. Consignors in the United States exporting shipments under this certificate shall satisfy the requirements of Subpart H of 10 CFR 71.
- 5. Expiration Date This certificate expires on January 31, 2025. Previous editions which have not reached their expiration date may continue to be used.

 1 "Regulations for the Safe Transport of Radioactive Material, 2012 Edition, No. SSR-6" published by the International Atomic Energy Agency (IAEA), Vienna, Austria.

² Title 49, Code of Federal Regulations, Parts 100-199, United States of America.

CERTIFICATE USA/0716/S-96, REVISION 3

This certificate is issued in accordance with paragraph(s) 804 of the IAEA Regulations and Section 173.476 of Title 49 of the Code of Federal Regulations, in response to the December 3, 2019 petition by QSA Global, Inc., Burlington, MA, and in consideration of other information on file in this Office.

Certified By:

William Schoonover

Associate Administrator for Hazardous Materials Safety

January 17, 2020

Revision 3 - Issued to extend the expiration date.

		/F
STAIN. STL. STAIN. STL.		DESCRIPTIVE DRAWING JLE ASSEMBLY 83 SHEET 1 OF 1
DESCRIPTION BODY LID CERAMIC FIBRE ACTIVE MATERIAL	TIG OR LASER WELD	INCLOSE) RILINGTON, MA OT 803 77 CAPSU RBA627 NONE
11EM 2 2 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		AEATTECHINGS AGE BUT SIZE DWG. NO.
	10.4 MAX.	APPROVALS A PPROVALS A STATE A # 40.5 A MGHANSE STATED TOLERANCES: XX # 40.5 XX # 40.5 XX # 40.5 XX # 40.5 ANGULAR # 5 EXTERNAL NO
	(F)	1107
		ERF #

XAM 7.4&





Pipeline and Hazardous Materials Safety Administration

CERTIFICATE NUMBER: USA/0716/S-96

ORIGINAL REGISTRANT(S):

QSA Global, Inc. 30 North Avenue Burlington, MA, 01803 USA